# SAY G'DAY TO... THE WALLAROO!




### THE FIRST INTEGRATED HEAT PUMP & CYLINDER THAT LIVES OUTDOORS!



- WIN MORE JOBS
- FASTER & EASIER
- **SAVE SPACE**
- ALL OUTDOORS

ALL-IN-ONE!

#### SCHEMATIC DESIGN



#### TECHNICAL DATA

HEATING MODE	
Refrigerant Type / Input (kg)	R290 / 0.85
Rated Voltage / Frequency	220-240V / 50Hz
Max Power Input (kW)	4
Max Current Input (A)	17.4
Water Flow Volume (L/Min)	22.5
Water Connection (Inch)	1
Compressor Type	Rotary
Motor Type	DC
Max Pressure at High Pressure Side (Mpa)	3.2
Max Pressure at Low Pressure Side (Mpa)	0.85
Max Allowable Pressure (Mpa)	3.2
Heating - Air 7°C, Water 35°C:	
SCOP / ErP Rating	4.6 / A+++
Heating Capacity Range (kW)	2.95~9.20
Heating Power Input Range (kW)	0.65~2.16
Heating - Air 7°C, Water 55°C:	
SCOP / ErP Rating	3.5 / A++
Heating Capacity Range (kW)	2.48~8.02
Heating Power Input Range (kW)	0.43~3.34
HOT WATER MODE	
Storage Capacity (L)	200
Maximum Outlet Water Temperature (°C)	60
Heating Capacity (kW)	3
Rated Pressure of Water Tank (kPa)	700
Rated Water Supply Pressure (kPa)	500
PTR Valve Joint (Inch)	1/2
Hot Water Outlet (Inch)	3/4
Cold Water Inlet (Inch)	3/4
OTHER	
Sound Power (dBA)	61
Weight (kg)	185
Unit Net Dimensions L x W x H (mm)	800 x 660 x 1920

## ABOUT ECOGENICA...



- AUSTRALIA'S NO.1 HEAT PUMP MANUFACTURER
- OVER 350,000 INSTALLED
- MARKET-LEADING PRODUCT
- FAST AND EASY TO INSTALL
- **UNBEATABLE PRICES!**

For further information, please ask one of our exhibition staff to scan your name badge or alternatively, please contact us at sales@ecogenica.co.uk or visit our website www.ecogenica.co.uk.



Ecogenica Ltd 77 Mount Ephraim Tunbridge Wells Kent TN4 8BS Tel: 0808 273 5159